



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Rehm et al.

Serial No.: 10/056,623

Filed: January 28, 2002

For: METHOD AND APPARATUS FOR USING INFRARED READINGS  
TO DETECT MISIDENTIFICATION OF A DIAGNOSTIC TEST STRIP  
IN A REFLECTANCE SPECTROMETER

RECEIVED  
JUN 10 2002  
TC 1700

ASSOCIATE POWER OF ATTORNEY

Commissioner for Patents  
Washington, D.C. 20231

Sir:

Pursuant to 37 CFR §1.34(b), please recognize the following as associate attorney of record to  
prosecute the above-identified application and to transact all business in the Patent and  
Trademark Office connected therewith:

Elizabeth A. Levy, Registration No. 34,375  
John M. Paolino, Registration No. 40,340  
Julie J.L. Cheng, Registration No. 33,848  
Patrick J. Igoe, Registration No. 35,202

COPY OF PAPERS  
ORIGINALLY FILED


Please send all future correspondence and Office Actions to the following address:

Elizabeth A. Levy  
Law & Patents Department  
Bayer Corporation  
63 North Street  
Medfield, MA 02052

Respectfully submitted,


5-6-02

Date



Jerome L. Jeffers  
Attorney for Applicants  
Registration No. 25,080

Bayer Corporation  
1884 Miles Avenue  
P.O. Box 40  
Elkhart, Indiana 46515-0040

I hereby certify that this correspondence is being  
deposited with the United States Postal Service with  
sufficient postage as first class mail in an envelope  
addressed to: Assistant Commissioner for Patents,  
Washington, D.C. 20231 on this date 5/14/02  
  
Gayle Gestick Date